TRENCH DRAIN | CAST GRATE



PRINT FRIENDLY PDF

- Greater load capacity for commercial and industrial applications
- 6", 8", and 12" grate made of heavy duty ductile iron
- Grates fit easily in boxes and require no tools to install
- Grates shipped loose for on-site installation
- · All grates are manufactured in 2' lengths
- Coated with black corrosion-resistant paint

·Standard Lengths:

6" Wide - 4', 5', and 6'

8" Wide – 4', 5', and 6'

12" Wide – 4', 5', and 6'

Trench Drain Load Capacities & Flow Rates

Model	Size	Description
6TDCG	6"	Steel Bottom w/ Ductile Iron Grate
6TDB	6"	Steel Bottom Box Only
6CG2-1	6"	Ductile Iron Grate Only – 2 Ft. Sec.
6EPS	6″	Steel End Plate – Solid
6EPSWH	6″	Steel End Plate w/ 4-1/4" Hole
8TDCG	8″	Open Bottom w/ Ductile Iron Grate
8TDB	8"	Open Bottom Box Only
8CGD2	8″	Ductile Iron Grate – 2 Ft. Sec.
8EPS	8″	Steel End Plate – Solid
8EPSWH	8″	Steel End Plate w/ 4-1/4" Hole
12TDCG	12"	Open Bottom w/ Ductile Iron Grate
12TDB	12"	Open Bottom Box Only
12CGD2	12"	Ductile Iron Grate – 2 Ft. Sec.
12EPS	12"	Steel End Plate – Solid

12EPSWH	12″	Steel End Plate w/ 4-1/4" Hole
---------	-----	--------------------------------

